CAP 1/2 E6 C

CAPRI Tap Range Capri Basin Pillar Taps Eco6 Chrome



Features:

- Supplied with metal handles
- Chrome plated to BS EN 248
- Product supplied with 2 x 3 litre per minute flow regulators which can be inserted into the threaded tail to reduce water consumption and increase water efficiency (Flow Regulator accurate +/- 10%)

Product Certifications:





For more products, visit our website: http://www.bristan.com



| Specification | | | | |
|-----------------------------------|-----------------------------------|--|--|--|
| Product Type: | Bathroom Taps | | | |
| Main Construction Material: | Brass | | | |
| Mount Type: | Deck Mounted | | | |
| Handle Type: | Lever Handles | | | |
| Connection Inlet: | 1/2" BSP | | | |
| Connection Outlet: | M20 Flow Straightener | | | |
| Number of Tap Holes: | 2 | | | |
| Valve/Cartridge Type: | 1/2" Ceramic Disc Valve | | | |
| Plumbing System Requirements: | Suitable for all plumbing systems | | | |
| Minimum Dynamic Pressure (bar): | 0.2 bar | | | |
| Maximum Dynamic Pressure (bar): | 5.0 bar | | | |
| Maximum Hot Water Temperature °C: | 65°C | | | |
| Maximum Static Pressure (bar): | 10 bar | | | |
| Flow Type: | Single Flow | | | |
| Isolation Included: | No | | | |

Dimensions (measurements in mm)





| 1222210 | Flow Rates (I/min) | | | | | | | |
|----------------------------|---|-----|-----|-----|-----|----|----|--|
| | System Pressure (bar) | 0.2 | 0.5 | 1 | 2 | 3 | 5 | |
| | CAP 1/2 E6 C (mixed) | 6 | 6 | 6 | 6 | 6 | 6 | |
| TECHNICAL DATA SHEET | P QUALTA S S S S S S S S S S S S S S S S S S S | | B | RIS | ST/ | AN | D4 | |

Bristan, Birch Coppice Business Park, Dordon, Tamworth, B78 ISG. Web Site: www.bristan.com Telephone: 0330 026 6273. Email: enquire@bristan.com.

* - 10 year guarantee applies to products purchased on or after 01/04/2021. The information contained on this page was correct at date of issue. Fitting Dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. Bristan pursues a policy of continuous improvement in design and performance of its products and so reserves the right to change specifications without prior notice.