MINI2 TS1203 CL C

COMMERCIAL Shower Range

MINI TS1203 Concealed Shower Valve with Lever Chrome



Features:

- Single sequential control for both temperature and flow
- Concealed shower with easyaccess cover plate for servicing
- Integral isolator and easy clean filters
- Inlet centres of 99mm +/- 1mm

Specification					
Finish/Colour:	Chrome Plated				
Main Construction Material:	Brass				
No of Controls:	1				
Shower Type:	Sequential Mini Valve				
Shower Head Type:	Valve Only				
Shower Kit:	N/A				
Valve/Cartridge Type:	Sequential Cartridge				
Maximum Hot Water Supply Temperature °C:	60				
Plumbing System Suitability:	Suitable for high pressure systems only				
Minimum Dynamic Pressure (bar):	1				
Maximum Dynamic Pressure (bar):	5				
Maximum Static Pressure (bar):	10				
Connection Inlet:	15mm Compression				
Connection Outlet:	G 1/2"				
Isolation Valve Included:	No				
Check Valve Included:	Yes				

Product Certifications:



WRAS Certificate No: 240403011 WRAS Expiry Date: 30/04/2029



TMV2 Certificate No: 2503305 TMV2 Designation: HP-SE TMV2 Expiry Date: 16/03/2030

For more products, visit our website: http://www.bristan.com



Dimensions (measurements in mm) 195 20 43-58 97 99

Flow Rates (I/min)							
System Pressure (bar)	1	2	3	4	5		
Valve Only (mixed)	7.8	8.8	9.1	9.4	9.3		

TECHNICAL DATA SHEET



BRISTAN

Bristan, Birch Coppice Business Park, Dordon, Tamworth, B78 1SG. Web Site: www.bristan.com Telephone: 0330 026 6273. Email: enquire@bristan.com.

** - Non-chrome product finishes carry a 3 year guarantee on finish. See www.bristan.com/guarantees for more information. The information contained on this page was correct at date of issue. Listed flow rates are indicative for the product. Different plumbing systems and flow regulators can produce higher or lower results. Fitting Dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. Bristan pursues a policy of continuous improvement in design and performance of its products and so reserves the right to change specifications without prior notice.