# BRISTAN

Exposed Pop Up Bath Waste with Over Flow

Installation Instructions & User Guide



IMPORTANT: Please keep these instructions for future reference and request of replacement parts

## BRISTAN

#### Introduction

Thank you for choosing Bristan, the UK's leading taps and showers expert. We have designed this product with your enjoyment in mind. To ensure that it works to its full potential, it needs to be fitted correctly. These fitting instructions have been created to give you all of the information you need and, if you need any further help, please do not hesitate to give us a call on 0330 026 6273.

### Installation

- 1. Identify all components are present prior to installation
- 2. Unscrew clicker mechanism (5) from flange (4). Remove flange (4) from the waste body (1).
- 3. Secure the waste body (1) underneath the bath by screwing flange (4) and waste body (1) together. Ensure rubber washer (2) and silicone washer (3) are in place.
- 4. Screw clicker mechanism (5) beck into flange (4). DO NOT OVERTIGHTEN
- 5. Loosely secure the sealing washer (11) and the nut (12) to hold the L pipe (6) into the waste body (1). Insert L pipe (6) into the waste body (1), tighten nut (12).
- 6. Use the same process to assemble the over flow elbow (10) to the L pipe (6).
- 7. Secure the overflow elbow (10) to the bath using the overflow cap (7), ensuring rubber washer (8) and (9) are in place.
- 8. Tighten nuts (12) to secure I pipe (6) into place.
- 9. Ensure waste is installed where exit pipework can be connected.
- 10. Check all joints and connections for leaks
- 1. Waste Body
- 2. Rubber Washer
- 3. Silicone Washer
- 4. Flange
- 5. Click Mechanism
- 6. L Pipe
- 7. Over Flow Cap
- 8. Rubber Washer
- 9. Rubber Washer
- 10. Over Flow Elbow
- 11. Sealing Washer
- 12. Hex Nut





#### Cleaning & Maintenance

Your fitting has a high quality finish and should be treated with care to preserve the visible surfaces. All finishes will wear if not cleaned correctly. The only safe way to clean your product is to wipe with a soft damp cloth. Stains can be removed using washing up liquid. All bathroom cleaning product (powders and liquids) will damage the surface of your fitting, even the non-scratch cleaners.

NOTE:- Never use abrasive detergents or disinfectants or those containing alcohol, hydrochloric or phosphoric acid.

At Bristan, we want to make things as easy as possible for our customers. That's why we offer solid guarantees on all our products, effective from the date of purchase, to give you peace of mind. To start your free guarantee, simply scan the QR code and register your product. Alternatively, visit <u>www.bristan.com/register</u> to register your product via a computer For full guarantee terms and conditions visit, www.bristan.com/guarantees



We Know & We Care



This booklet covers product codes

W BATH07 C - Chrome

Helpline 0330 026 6273

Bristan Group Limited Birch Coppice Business Park, Dordon, Tamworth, Staffordshire B78 1SG

> A Masco Company Website: www.bristan.com Telephone: 0330 026 6273 Email: <u>enquire@bristan.com</u>

FI (WASTE EXPOSED) REV. D2